THE JOURNAL OF EXPERIMENTAL MEDICINE

Published Monthly by The Rockefeller University Press

Edited by

Anthony Cerami
Zanvil A. Cohn
Maclyn McCarty
Carl Nathan
Jeffrey V. Ravetch
Ralph Steinman

Assistant Editors

David N. Posnett
Ellen Puré
Helen Vlassara

Advisory Editors

Alan Aderem
Chester A. Alper
Frederick W. Alt
K. Frank Austen
Marco Baggiolini
Bruce Beutler
Patrick Brennan
Michael B. Brenner
Kathryn Calame
Ramzi S. Cotran
Frank J. Dixon
Stanley Falkow
Anthony S. Fauci
Douglas T. Fearon
Bernard N. Fields
Vincent A. Fischetti
B. J. Fowlkes
Shu Man Fu
Emil C. Gotschlich
David H. Ho
Richard J. Hodes
Tasuku Honjo
Alan N. Houghton
John W. Kappler
Thomas J. Kindt
Seymour J. Klebanoff
Antonio Lanzavecchia
Frank Lilly
H. R. MacDonald
Linda MacPhail
Tak W. Mak
Philippa Marrack
Janet Maryanski
Lloyd F. Mayer
E. A. McCulloch
Ira Mellman
Donald Metcalf
Louis H. Miller
Ralph L. Nachman
Robert J. North
Victor Nussenzweig
Lloyd J. Old
Michael B. A. Oldstone
Peter Parham
William E. Paul
Russell Ross
David H. Sachs
Lawrence E. Samelson
Matthew D. Scharff
Hans Schreiber
Benjamin D. Schwartz
Kendall A. Smith
Jonathan Sprent
Timothy A. Springer
E. Richard Stanley
Eng M. Tan
Alain Townsend
Giorgio Trinchieri
Richard Ulevitch
Zena Werb
Alan F. Williams
Darcy B. Wilson
Henry J. Winn
Samuel D. Wright
John Ding-E Young

VOLUME 175

1992

COPYRIGHT © 1992 BY THE ROCKEFELLER UNIVERSITY PRESS

Contents

Volume 175 No. 1 January 1, 1992

1 ***Vincent T. Moy and Adrienne A. Brian.*** Signaling by lymphocyte function-associated antigen 1 (LFA-1) in B cells: enhanced antigen presentation after stimulation through LFA-1

9 ***Dominique De Wit, Marcelle Van Mechelen, Marion Ryelandt, Ana Claudia Figueiredo, Daniel Abramowicz, Michel Goldman, Hervé Bazin, Jacques Urbain, and Oberdan Leo.*** The injection of deaggregated gamma globulins in adult mice induces antigen-specific unresponsiveness of T helper type 1 but not type 2 lymphocytes

15 ***Thierry Sornasse, Véronique Flamand, Geneviève De Becker, Hervé Bazin, Françoise Tielemans, Kris Thielemans, Jacques Urbain, Oberdan Leo, and Muriel Moser.*** Antigen-pulsed dendritic cells can efficiently induce an antibody response in vivo

23 ***Walter K. Nishioka and Raymond M. Welsh.*** Inhibition of cytotoxic T lymphocyte–induced target cell DNA fragmentation, but not lysis, by inhibitors of DNA topoisomerases I and II

29 ***R. Ribeiro dos Santos, Marcos A. Rossi, J. L. Laus, J. Santana Silva, Wilson Savino, and José Mengel.*** Anti-CD4 abrogates rejection and reestablishes long-term tolerance to syngeneic newborn hearts grafted in mice chronically infected with *Trypanosoma cruzi*

41 ***Ann M. Pullen, Yongwon Choi, Elenora Kushnir, John Kappler, and Philippa Marrack.*** The open reading frames in the 3′ long terminal repeats of several mouse mammary tumor virus integrants encode Vβ3-specific superantigens

49 ***Kenji Hiromatsu, Yasunobu Yoshikai, Goro Matsuzaki, Shouichi Ohga, Katsumi Muramori, Ken Matsumoto, Jeffrey A. Bluestone, and Kikuo Nomoto.*** A protective role of γ/δ T cells in primary infection with *Listeria monocytogenes* in mice

57 ***Catherine Van Kerckhove, Gary J. Russell, Kai Deusch, Kristian Reich, Atul K. Bhan, Harout DerSimonian, and Michael B. Brenner.*** Oligoclonality of human intestinal intraepithelial T cells

65 ***Terrence A. Barrett, Michelle L. Delvy, David M. Kennedy, Leo Lefrancois, Louis A. Matis, Alexander L. Dent, Stephen M. Hedrick, and Jeffrey A. Bluestone.*** Mechanism of self-tolerance of γ/δ T cells in epithelial tissue

71 ***Masaya Okamoto, Masao Murakami, Akira Shimizu, Shoichi Ozaki, Takeshi Tsubata, Shunichi Kumagai, and Tasuku Honjo.*** A transgenic model of autoimmune hemolytic anemia

81 ***Akiyasu Tsuchida, Hatem Salem, Napier Thomson, and Wayne W. Hancock.*** Tumor necrosis factor production during human renal allograft rejection is associated with depression of plasma protein C and free protein S levels and decreased intragraft thrombomodulin expression

91 ***Thomas Miethke, Claudia Wahl, Klaus Heeg, Bernd Echtenacher, Peter H. Krammer, and Hermann Wagner.*** T cell–mediated lethal shock triggered in mice by the superantigen staphylococcal enterotoxin B: critical role of tumor necrosis factor

99 ***Seiji Hori, Satoru Kitagawa, Hisashi Iwata, Takenori Ochiai, Kaichi Isono, Toshiyuki Hamaoka, and Hiromi Fujiwara.*** Cell-cell interaction in graft rejection responses: induction of anti–allo-class I H-2 tolerance is prevented by immune responses against allo-class II H-2 antigens coexpressed on tolerogen

111 ***J. A. Carman, L. Pond, F. Nashold, D. L. Wassom, and C. E. Hayes.*** Immunity to *Trichinella spiralis* infection in vitamin A–deficient mice

121 ***Hector Molina, Winnie Wong, Taroh Kinoshita, Carol Brenner, Sharon Foley, and V. Michael Holers.*** Distinct receptor and regulatory properties of recombinant mouse complement receptor 1 (CR1) and Crry, the two genetic homologues of human CR1

131 ***Elizabeth E. Eynon and David C. Parker.*** Small B cells as antigen-presenting cells in the induction of tolerance to soluble protein antigens

139 ***Sunanda Singh, Susan R. Ross, Maria Acena, Donald A. Rowley, and Hans Schreiber.*** Stroma is critical for preventing or permitting immunological destruction of antigenic cancer cells

147 ***Suzanne T. Ildstad, Melanie S. Vacchio, Peter M. Markus, Mary Lynn Hronakes, Sherry M. Wren, and Richard J. Hodes.*** Cross-species transplantation tolerance: rat bone marrow–derived cells can contribute to the ligand for negative selection of mouse T cell receptor Vβ in chimeras tolerant to xenogeneic antigens (mouse + rat → mouse)

157 ***Giovina Ruberti, Karen S. Sellins, C. Mark Hill, Ronald N. Germain, C. Garrison Fathman, and Alexandra Livingstone.*** Presentation of antigen by mixed isotype class II molecules in normal H-2^d mice

163 ***Fernando Esquivel, Jonathan Yewdell, and Jack Bennink.*** RMA/S cells present endogenously synthesized cytosolic proteins to class I–restricted cytotoxic T lymphocytes

169 ***João S. Silva, Philip J. Morrissey, Kenneth H. Grabstein, Kendall M. Mohler, Dirk Anderson, and Steven G. Reed.*** Interleukin 10 and interferon γ regulation of experimental *Trypanosoma cruzi* infection

175 ***Nobuko Uchida and Irving L. Weissman.*** Searching for hematopoietic stem cells: evidence that Thy-1.1^{lo} Lin$^-$ Sca-1$^+$ cells are the only stem cells in C57BL/Ka-Thy-1.1 bone marrow

185 ***Antonin R. de Fougerolles and Timothy A. Springer.*** Intercellular adhesion molecule 3, a third adhesion counter-receptor for lymphocyte function–associated molecule 1 on resting lymphocytes

191 ***Joseph D. Smith, Wen-Rong Lie, John Gorka, Cathy S. Kindle, Nancy B. Myers, and Ted H. Hansen.*** Disparate interaction of peptide ligand with nascent versus mature class I major histocompatibility complex molecules: comparisons of peptide binding to alternative forms of L^d in cell lysates and the cell surface

203 ***Shigeo Koyasu, Luciano D'Adamio, Antonio R. N. Arulanandam, Sheena Abraham, Linda K. Clayton, and Ellis L. Reinherz.*** T cell receptor complexes containing FcϵRIγ homodimers in lieu of CD3ζ and CD3η components: a novel isoform expressed on large granular lymphocytes

211 ***Tinggui Yin, Paul Schendel, and Yu-Chung Yang.*** Enhancement of in vitro and in vivo antigen-specific antibody responses by interleukin 11

217 ***M. Refaat Shalaby, H. Michael Shepard, Len Presta, Maria L. Rodrigues, Peter C. L. Beverley, Marc Feldmann, and Paul Carter.*** Development of humanized bispecific antibodies reactive with cytotoxic lymphocytes and tumor cells overexpressing the *HER2* protooncogene

227 ***Hua Su and Harlan D. Caldwell.*** Immunogenicity of a chimeric peptide corresponding to T helper and B cell epitopes of the *Chlamydia trachomatis* major outer membrane protein

237 ***Stephan C. Bischoff and Clemens A. Dahinden.*** c-*kit* ligand: a unique potentiator of mediator release by human lung mast cells

245 ***Barry K. Wershil, Mindy Tsai, Edwin N. Geissler, Krisztina M. Zsebo, and Stephen J. Galli.*** The rat c-*kit* ligand, stem cell factor, induces c-*kit* receptor-dependent mouse mast cell activation in vivo. Evidence that signaling through the c-*kit* receptor can induce expression of cellular function

257 ***Jayne Lesley, Qi He, Kensuke Miyake, Alf Hamann, Robert Hyman, and Paul W. Kincade.*** Requirements for hyaluronic acid binding by CD44: a role for the cytoplasmic domain and activation by antibody

267 ***Nina Bhardwaj, Steven M. Friedman, Barry C. Cole, and Anahid J. Nisanian.*** Dendritic cells are potent antigen-presenting cells for microbial superantigens

275 ***Vijay Mehra, Barry R. Bloom, Adriana C. Bajardi, Cara L. Grisso, Peter A. Sieling, David Alland, Jacinto Convit, Xuedong Fan, Shirley W. Hunter, Patrick J. Brennan, Thomas H. Rea, and Robert L. Modlin.*** A major T cell antigen of *Mycobacterium leprae* is a 10-kD heat-shock cognate protein

Brief Definitive Reports

285 ***Jai Dev Dasgupta, Clarissa Granja, Brian Druker, Lih-Ling Lin, Edmond J. Yunis, and Valerie Relias.*** Phospholipase C-γ1 association with CD3 structure in T cells

289 ***Stuart K. Shapira, Donata Vercelli, Haifa H. Jabara, Shu Man Fu, and Raif S. Geha.*** Molecular analysis of the induction of immunoglobulin E synthesis in human B cells by interleukin 4 and engagement of CD40 antigen

293 ***Pierre Desreumaux, Anne Janin, Jean Frédéric Colombel, Lionel Prin, Joël Plumas, Dominique Emilie, Gérard Torpier, André Capron, and Monique Capron.*** Interleukin 5 messenger RNA expression by eosinophils in the intestinal mucosa of patients with coeliac disease

297 ***Frits Gmelig-Meyling, Sahar Dawisha, and Alfred D. Steinberg.*** Assessment of in vivo frequency of mutated T cells in patients with systemic lupus erythematosus

301 ***Gérard A. Schockmel, Chamorro Somoza, Simon J. Davis, Alan F. Williams, and Don Healey.*** Construction of a binding site for human immunodeficiency virus type 1 gp120 in rat CD4

305 ***Gilles Benichou, Peter A. Takizawa, Clifford A. Olson, Minnie McMillan, and Eli E. Sercarz.*** Donor major histocompatibility complex (MHC) peptides are presented by recipient MHC molecules during graft rejection

309 ***Correction***

Volume 175 No. 2 February 1, 1992

313 ***Tarik Möröy, Peter E. Fisher, Grace Lee, Philip Achacoso, Francis Wiener, and Frederick W. Alt.*** High frequency of myelomonocytic tumors in aging Eμ L-*myc* transgenic mice

323 ***Dan Aderka, Hartmut Engelmann, Yasmin Maor, Cord Brakebusch, and David Wallach.*** Stabilization of the bioactivity of tumor necrosis factor by its soluble receptors

331 ***Hervé Groux, Gérard Torpier, Didier Monté, Yves Mouton, André Capron, and Jean Claude Ameisen.*** Activation-induced death by apoptosis in $CD4^+$ T cells from human immunodeficiency virus–infected asymptomatic individuals

341 ***Yoshiyuki Murata, Satoshi Takaki, Masahiro Migita, Yuji Kikuchi, Akira Tominaga, and Kiyoshi Takatsu.*** Molecular cloning and expression of the human interleukin 5 receptor

353 ***Miyuki Azuma, Mark Cayabyab, David Buck, Joseph H. Phillips, and Lewis L. Lanier.*** CD28 interaction with B7 costimulates primary allogeneic proliferative responses and cytotoxicity mediated by small, resting T lymphocytes

361 ***Laszlo Pazmany, Sarah Rowland-Jones, Stephane Huet, Ann Hill, Julian Sutton, Ruth Murray, Jill Brooks, and Andrew McMichael.*** Genetic modulation of antigen presentation by HLA-B27 molecules

371 ***Carol Clayberger, Sandra Luna-Fineman, Jeffrey E. Lee, Asha Pillai, Michael Campbell, Ronald Levy, and Alan M. Krensky.*** Interleukin 3 is a growth factor for human follicular B cell lymphoma

377 ***Rudolf Valenta, Michael Duchene, Christof Ebner, Peter Valent, Christian Sillaber, Philippe Deviller, Fatima Ferreira, Margaret Tejkl, Helga Edelmann, Dietrich Kraft, and Otto Scheiner.*** Profilins constitute a novel family of functional plant pan-allergens

387 ***John W. Kappler, Andrew Herman, Janice Clements, and Philippa Marrack.*** Mutations defining functional regions of the superantigen staphylococcal enterotoxin B

397 ***Nanette Solvason and John F. Kearney.*** The human fetal omentum: a site of B cell generation

405 ***Frederick P. Nestel, Kursteen S. Price, Thomas A. Seemayer, and Wayne S. Lapp.*** Macrophage priming and lipopolysaccharide-triggered release of tumor necrosis factor α during graft-versus-host disease

415 ***David R. Karp and Eric O. Long.*** Identification of HLA-DR1 β chain residues critical for binding staphylococcal enterotoxins A and E

425 ***Eric W. Marsh, David P. Dalke, and Susan K. Pierce.*** Biochemical evidence for the rapid assembly and disassembly of processed antigen–major histocompatibility complex class II complexes in acidic vesicles of B cells

437 ***Yang Liu, Bryan Jones, Alejandro Aruffo, Kate M. Sullivan, Peter S. Linsley, and Charles A. Janeway, Jr.*** Heat-stable antigen is a costimulatory molecule for CD4 T cell growth

447 ***Tomohiro Kurosaki, Irene Gander, Urs Wirthmueller, and Jeffrey V. Ravetch.*** The β subunit of the FcεRI is associated with the FcγRIII on mast cells

453 ***Martine Papiernik, Christiane Pontoux, and Sylvie Gisselbrecht.*** Acquired Mls-1^a-like clonal deletion in Mls-1^b mice

461 ***A. Robert Neurath, Nathan Strick, and Phyllis Sproul.*** Search for hepatitis B virus cell receptors reveals binding sites for interleukin 6 on the virus envelope protein

471 ***Gérard Garnier, Bettina Ault, Mihaly Kramer, and Harvey R. Colten.*** *cis* and *trans* elements differ among mouse strains with high and low extrahepatic complement factor B gene expression

481 ***Laurence C. Eisenlohr, Jonathan W. Yewdell, and Jack R. Bennink.*** Flanking sequences influence the presentation of an endogenously synthesized peptide to cytotoxic T lymphocytes

489 ***Piotr Kuna, Sesha R. Reddigari, Doreen Rucinski, Joost J. Oppenheim, and Allen P. Kaplan.*** Monocyte chemotactic and activating factor is a potent histamine-releasing factor for human basophils

495 ***Margot S. Kruskall, Chester A. Alper, Zuheir Awdeh, Edmond J. Yunis, and Deborah Marcus-Bagley.*** The immune response to hepatitis B vaccine in humans: inheritance patterns in families

503 ***Magdalena Tary-Lehmann and Andrew Saxon.*** Human mature T cells that are anergic in vivo prevail in SCID mice reconstituted with human peripheral blood

517 ***Uwe E. H. Mai, Guillermo I. Perez-Perez, Janice B. Allen, Sharon M. Wahl, Martin J. Blaser, and Phillip D. Smith.*** Surface proteins from *Helicobacter pylori* exhibit chemotactic activity for human leukocytes and are present in gastric mucosa

527 ***Gregory M. Bell, William E. Seaman, Eréne C. Niemi, and John B. Imboden.*** The OX-44 molecule couples to signaling pathways and is associated with CD2 on rat T lymphocytes and a natural killer cell line

537 ***Oretta Finco, Shiliang Li, Mariaclara Cuccia, Fred S. Rosen, and Michael C. Carroll.*** Structural differences between the two human complement C4 isotypes affect the humoral immune response

545 ***James M. Sheil, Sara E. Shepherd, Gerald F. Klimo, and Yvonne Paterson.*** Identification of an autologous insulin B chain peptide as a target antigen for H-$2K^b$-restricted cytotoxic T lymphocytes

553 ***Lianfa Shi, Ricky P. Kraut, Ruedi Aebersold, and Arnold H. Greenberg.*** A natural killer cell granule protein that induces DNA fragmentation and apoptosis

567 ***Sergio Schenkman, Lain Pontes de Carvalho, and Victor Nussenzweig.*** *Trypanosoma cruzi* trans-sialidase and neuraminidase activities can be mediated by the same enzymes

577 ***Yoji Shimizu, Gijs A. van Seventer, Elizabeth Ennis, Walter Newman, Kevin J. Horgan, and Stephen Shaw.*** Crosslinking of the T cell–specific accessory molecules CD7 and CD28 modulates T cell adhesion

583 ***Zeling Cai and Larry R. Pease.*** Structural and functional analysis of three D/L-like class I molecules from *H-2*^{v}: indications of an ancestral family of *D/L* genes

597 ***Toshio Tanaka, Charles C. Chu, and William E. Paul.*** An antisense oligonucleotide complementary to a sequence in Iγ2b increases γ2b germline transcripts, stimulates B cell DNA synthesis, and inhibits immunoglobulin secretion

Brief Definitive Reports

609 ***Smita Nair, Fan Zhou, Ramani Reddy, Leaf Huang, and Barry T. Rouse.*** Soluble proteins delivered to dendritic cells via pH-sensitive liposomes induce primary cytotoxic T lymphocyte responses in vitro

613 ***Walid Mourad, Khalil Mehindate, Thomas J. Schall, and Shaun R. McColl.*** Engagement of major histocompatibility complex class II molecules by superantigen induces inflammatory cytokine gene expression in human rheumatoid fibroblast-like synoviocytes

617 ***Correction***

619 ***Correction***

621 ***Correction***

Volume 175 No. 3 March 1, 1992

623 ***Karel J. M. Assmann, Jacco P. H. F. van Son, Henri B. P. M. Dijkman, and Robert A. P. Koene.*** A nephritogenic rat monoclonal antibody to mouse aminopeptidase A. Induction of massive albuminuria after a single intravenous injection

637 ***Alessandra Vacca, Maria P. Felli, Antonietta R. Farina, Stefano Martinotti, Marella Maroder, Isabella Screpanti, Daniela Meco, Elisa Petrangeli, Luigi Frati, and Alberto Gulino.*** Glucocorticoid receptor-mediated suppression of the interleukin 2 gene expression through impairment of the cooperativity between nuclear factor of activated T cells and AP-1 enhancer elements

647 ***Naohiro Seo, Takahiro Okazaki, Chiemi Nakanishi-Ito, Takae Tanino, Yasue Matsudaira, Toshitada Takahashi, and Kohji Egawa.*** Expression of the Qa-2^k phenotype encoded by the $Q5^k$ gene on the surface of tumor cells derived from H-2^k mice

655 ***M. J. Day, A. G. D. Tse, M. Puklavec, S. J. Simmonds, and D. W. Mason.*** Targeting autoantigen to B cells prevents the induction of a cell-mediated autoimmune disease in rats

661 ***Ryuhei Okuyama, Toru Abo, Shuhji Seki, Toshiaki Ohteki, Keitaro Sugiura, Akinori Kusumi, and Katsuo Kumagai.*** Estrogen administration activates extrathymic T cell differentiation in the liver

671 ***Thierry Defrance, Béatrice Vanbervliet, Francine Brière, Isabelle Durand, Françoise Rousset, and Jacques Banchereau.*** Interleukin 10 and transforming growth factor β cooperate to induce anti-CD40–activated naive human B cells to secrete immunoglobulin A

683 ***Yvonne R. Freund, Gregory Sgarlato, Chaim O. Jacob, Yasuhiro Suzuki, and Jack S. Remington.*** Polymorphisms in the tumor necrosis factor α (TNF-α) gene correlate with murine resistance to development of toxoplasmic encephalitis and with levels of TNF-α mRNA in infected brain tissue

689 ***Ruth Neta, Robert Perlstein, Stefanie N. Vogel, G. David Ledney, and John Abrams.*** Role of interleukin 6 (IL-6) in protection from lethal irradiation and in endocrine responses to IL-1 and tumor necrosis factor

695 ***Kohtaro Fujihashi, Takashi Taguchi, Wilhelm K. Aicher, Jerry R. McGhee, Jeffrey A. Bluestone, John H. Eldridge, and Hiroshi Kiyono.*** Immunoregulatory functions for murine intraepithelial lymphocytes: γ/δ T cell receptor–positive (TCR^+) T cells abrogate oral tolerance, while α/β TCR^+ T cells provide B cell help

709 ***Ermanno Ciccone, Daniela Pende, Oriane Viale, Carolina Di Donato, Gino Tripodi, Anna Maria Orengo, John Guardiola, Alessandro Moretta, and Lorenzo Moretta.*** Evidence of a natural killer (NK) cell repertoire for (allo) antigen recognition: definition of five distinct NK-determined allospecificities in humans

719 ***Nancy A. Hosken and Michael J. Bevan.*** An endogenous antigenic peptide bypasses the class I antigen presentation defect in RMA-S

731 ***Albert Bendelac, Polly Matzinger, Robert A. Seder, William E. Paul, and Ronald H. Schwartz.*** Activation events during thymic selection

743 ***Tomasz Skorski, Cezary Szczylik, Mariusz Z. Ratajczak, Lucia Malaguarnera, Alan M. Gewirtz, and Bruno Calabretta.*** Growth factor–dependent inhibition of normal hematopoiesis by N-*ras* antisense oligodeoxynucleotides

751 ***Anne Roulston, Mario D'Addario, Francois Boulerice, Stephen Caplan, Mark A. Wainberg, and John Hiscott.*** Induction of monocytic differentiation and NF-κB-like activities by human immunodeficiency virus 1 infection of myelomonoblastic cells

765 ***Brigitte Boitel, Myriam Ermonval, Paola Panina-Bordignon, Roy A. Mariuzza, Antonio Lanzavecchia, and Oreste Acuto.*** Preferential Vβ gene usage and lack of junctional sequence conservation among human T cell receptors specific for a tetanus toxin–derived peptide: evidence for a dominant role of a germline-encoded V region in antigen/major histocompatibility complex recognition

779 ***Michael J. Robertson, Robert J. Soiffer, Stanley F. Wolf, Thomas J. Manley, Christopher Donahue, Deborah Young, Steven H. Herrmann, and Jerome Ritz.*** Response of human natural killer (NK) cells to NK cell stimulatory factor (NKSF): cytolytic activity and proliferation of NK cells are differentially regulated by NKSF

789 ***Jihed Chehimi, Stuart E. Starr, Ian Frank, Manthrasalam Rengaraju, Stephanie J. Jackson, Carlos Llanes, Michiko Kobayashi, Bice Perussia, Deborah Young, Elliot Nickbarg, Stanley F. Wolf, and Giorgio Trinchieri.*** Natural killer (NK) cell stimulatory factor increases the cytotoxic activity of NK cells from both healthy donors and human immunodeficiency virus–infected patients

797 ***Jian Lin Gong, Karin M. McCarthy, Joel Telford, T. Tamatani, M. Miyasaka, and Eveline E. Schneeberger.*** Intraepithelial airway dendritic cells: a distinct subset of pulmonary dendritic cells obtained by microdissection

809 ***Sarah E. Buxton, Richard J. Benjamin, Carol Clayberger, Peter Parham, and Alan M. Krensky.*** Anchoring pockets in human histocompatibility complex leukocyte antigen (HLA) class I molecules: analysis of the conserved B ("45") pocket of HLA-B27

821 ***Henry D. Hunt, Terry I. Munitz, and Larry R. Pease.*** Alloreactive cytotoxic T lymphocytes recognize epitopes determined by both the α helices and β sheets of the class I peptide binding site

831 ***Tsaiwei Olee, Edward W. Lu, De-Feng Huang, Rafael W. Soto-Gil, Michael Deftos, Franklin Kozin, Dennis A. Carson, and Pojen P. Chen.*** Genetic analysis of self-associating immunoglobulin G rheumatoid factors from two rheumatoid synovia implicates an antigen-driven response

843 ***Rickard Glas, Knut Sturmhöfel, Günter J. Hämmerling, Klas Kärre, and Hans-Gustaf Ljunggren.*** Restoration of a tumorigenic phenotype by β_2-microglobulin transfection to EL-4 mutant cells

847 ***Yongwon Choi, Philippa Marrack, and John W. Kappler.*** Structural analysis of a mouse mammary tumor virus superantigen

853 ***Jugnu Jain, Viia E. Valge-Archer, Anthony J. Sinskey, and Anjana Rao.*** The AP-1 site at −150 bp, but not the NK-κB site, is likely to represent the major target of protein kinase C in the interleukin 2 promoter

863 ***Kiyoshi Hiruma, Hirotoshi Nakamura, Pierre A. Henkart, and Ronald E. Gress.*** Clonal deletion of postthymic T cells: veto cells kill precursor cytotoxic T lymphocytes

Brief Definitive Reports

869 ***Patricia R. Hutchings, Anne Cooke, Kim Dawe, Brian R. Champion, Mario Geysen, Robert Valerio, and Ivan M. Roitt.*** A thyroxine-containing peptide can induce murine experimental autoimmune thyroiditis

873 ***Yoshinori Takahashi, Akira Shimizu, Takashi Sakai, Yu-ichi Endo, Nobutaka Osawa, Hayase Shisa, and Tasuku Honjo.*** Mapping of the *nu* gene using congenic nude strains and in situ hybridization

Volume 175 No. 4 April 1, 1992

877 ***D. Metcalf, M. J. Elliott, and N. A. Nicola.*** The excess numbers of peritoneal macrophages in granulocyte-macrophage colony-stimulating factor transgenic mice are generated by local proliferation

885 ***Maarten Zijlstra, Hugh Auchincloss, Jr., Janet M. Loring, Catharine M. Chase, Paul S. Russell, and Rudolf Jaenisch.*** Skin graft rejection by β_2-microglobulin–deficient mice

895 ***Mauricio Rodrigues, Ruth S. Nussenzweig, Pedro Romero, and Fidel Zavala.*** The in vivo cytotoxic activity of $CD8^+$ T cell clones correlates with their levels of expression of adhesion molecules

907 ***Shin Yoshino and Leslie G. Cleland.*** Depletion of α/β T cells by a monoclonal antibody against the α/β T cell receptor suppresses established adjuvant arthritis, but not established collagen-induced arthritis in rats

917 ***Leszek Ignatowicz, John Kappler, and Philippa Marrack.*** The effects of chronic infection with a superantigen-producing virus

925 ***Dario A. A. Vignali, José Moreno, Doris Schiller, and Günter J. Hämmerling.*** Species-specific binding of CD4 to the $\beta 2$ domain of major histocompatibility complex class II molecules

933 ***Nicolaas P. M. Bakker, Monique G. M. van Erck, Nel Otting, Neubury M. Lardy, Riet C. Noort, Bert A. 't Hart, Margreet Jonker, and Ronald E. Bontrop.*** Resistance to collagen-induced arthritis in a nonhuman primate species maps to the major histocompatibility complex class I region

939 ***Seppo Meri, Vesa Koistinen, Aaro Miettinen, Tom Törnroth, and Ilkka J. T. Seppälä.*** Activation of the alternative pathway of complement by monoclonal λ light chains in membranoproliferative glomerulonephritis

951 ***Peter Vandenberghe, Gordon J. Freeman, Lee M. Nadler, Mary C. Fletcher, Malek Kamoun, Laurence A. Turka, Jeffrey A. Ledbetter, Craig B. Thompson, and Carl H. June.*** Antibody and B7/BB1-mediated ligation of the CD28 receptor induces tyrosine phosphorylation in human T cells

961 ***R. Paul Johnson, Alicja Trocha, Thomas M. Buchanan, and Bruce D. Walker.*** Identification of overlapping HLA class I–restricted cytotoxic T cell epitopes in a conserved region of the human immunodeficiency virus type 1 envelope glycoprotein: definition of minimum epitopes and analysis of the effects of sequence variation

973 ***Jeffrey M. Purkerson and Peter C. Isakson.*** Interleukin 5 (IL-5) provides a signal that is required in addition to IL-4 for isotype switching to immunoglobulin (Ig) G1 and IgE

983 ***Thierry Martin, Stuart F. Duffy, Dennis A. Carson, and Thomas J. Kipps.*** Evidence for somatic selection of natural autoantibodies

993 ***Kai W. Wucherpfennig, Jia Newcombe, Hong Li, Christine Keddy, M. Louise Cuzner, and David A. Hafler.*** T cell receptor V_α-V_β repertoire and cytokine gene expression in active multiple sclerosis lesions

1003 ***Michael F. Gurish, Namit Ghildyal, H. Patrick McNeil, K. Frank Austen, Steven Gillis, and Richard L. Stevens.*** Differential expression of secretory granule proteases in mouse mast cells exposed to interleukin 3 and c-*kit* ligand

1013 ***Nancy A. Lee, Dennis Y. Loh, and Elizabeth Lacy.*** CD8 surface levels alter the fate of α/β T cell receptor–expressing thymocytes in transgenic mice

1027 ***Jennifer A. Lata, Rocky S. Tuan, Kenneth J. Shepley, Mary M. Mulligan, Laird G. Jackson, and J. Bruce Smith.*** Localization of major histocompatibility complex class I and II mRNA in human first-trimester chorionic villi by in situ hybridization

1033 ***Bart A. E. Vandekerckhove, Reiko Namikawa, Rosa Bacchetta, and Maria-Grazia Roncarolo.*** Human hematopoietic cells and thymic epithelial cells induce tolerance via different mechanisms in the SCID-hu mouse thymus

1045 ***Yoshihisa Nojima, David M. Rothstein, Kanji Sugita, Stuart F. Schlossman, and Chikao Morimoto.*** Ligation of VLA-4 on T cells stimulates tyrosine phosphorylation of a 105-kD protein

1055 ***Joseph H. Phillips, Toshiyuki Hori, Arnon Nagler, Neelima Bhat, Hergen Spits, and Lewis L. Lanier.*** Ontogeny of human natural killer (NK) cells: fetal NK cells mediate cytolytic function and express cytoplasmic CD3ϵ,δ proteins

1067 ***Johann R. Frey, Bettina Ernst, Charles D. Surh, and Jonathan Sprent.*** Thymus-grafted SCID mice show transient thymopoiesis and limited depletion of $V\beta 11^+$ T cells

1073 ***Yong-Li Yu, Hue Kha, Jeffrey A. Golden, Alexandra A. J. Migchielsen, Edward J. Goetzl, and Christoph W. Turck.*** An acidic fibroblast growth factor protein generated by alternate splicing acts like an antagonist

1081 ***Jeffrey F. Krane, Alice B. Gottlieb, D. Martin Carter, and James G. Krueger.*** The insulin-like growth factor I receptor is overexpressed in psoriatic epidermis, but is differentially regulated from the epidermal growth factor receptor

1091 ***Seth Lederman, Michael J. Yellin, Alexander Krichevsky, John Belko, Julie J. Lee, and Leonard Chess.*** Identification of a novel surface protein on activated $CD4^+$ T cells that induces contact-dependent B cell differentiation (help)

1103 ***Tai Muryoi, Kuppuswamy N. Kasturi, Martin J. Kafina, D. S. Cram, Linn C. Harrison, Takeshi Sasaki, and Constantin A. Bona.*** Antitopoisomerase I monoclonal autoantibodies from scleroderma patients and tight skin mouse interact with similar epitopes

1111 ***John Chan, Yun Xing, Richard S. Magliozzo, and Barry R. Bloom.*** Killing of virulent *Mycobacterium tuberculosis* by reactive nitrogen intermediates produced by activated murine macrophages

1123 ***James R. Lane, David A. Neumann, Anne Lafond-Walker, Ahvie Herskowitz, and Noel R. Rose.*** Interleukin 1 or tumor necrosis factor can promote Coxsackie B3-induced myocarditis in resistant B10.A mice

Brief Definitive Reports

1131 ***James D. Fraser, Marianne E. Newton, and Arthur Weiss.*** CD28 and T cell antigen receptor signal transduction coordinately regulate interleukin 2 gene expression in response to superantigen stimulation

1135 ***Derek J. Peacock, Mona Lisa Banquerigo, and Ernest Brahn.*** Angiogenesis inhibition suppresses collagen arthritis

1139 ***H. Richard Alexander, Grace G. H. Wong, Gerard M. Doherty, David J. Venzon, Douglas L. Fraker, and Jeffrey A. Norton.*** Differentiation factor/leukemia inhibitory factor protection against lethal endotoxemia in mice: synergistic effect with interleukin 1 and tumor necrosis factor

1143 ***Bradley S. Bender, Thomas Croghan, Liping Zhang, and Parker A. Small, Jr.*** Transgenic mice lacking class I major histocompatibility complex–restricted T cells have delayed viral clearance and increased mortality after influenza virus challenge

1147 ***Lindsay C. Dunlop, Michael P. Skinner, Linda J. Bendall, Emmanuel J. Favaloro, Peter A. Castaldi, Jeffrey J. Gorman, Jennifer R. Gamble, Matthew A. Vadas, and Michael C. Berndt.*** Characterization of GMP-140 (P-selectin) as a circulating plasma protein

1151 ***J. H. Jansen, J. C. Kluin-Nelemans, J. Van Damme, G. J. H. M. Wientjens, R. Willemze, and W. E. Fibbe.*** Interleukin 6 is a permissive factor for monocytic colony formation by human hematopoietic progenitor cells

Volume 175 No. 5 May 1, 1992

1157 ***Kayo Inaba, Ralph M. Steinman, Margit Witmer Pack, Hikeki Aya, Muneo Inaba, Tesuo Sudo, Stephen Wolpe, and Gerold Schuler.*** Identification of proliferating dendritic cell precursors in mouse blood

1169 ***Thomas J. Vasicek, Douglas A. Levinson, Emmett V. Schmidt, Juanita Campos-Torres, and Philip Leder.*** *B-less*: a strain of profoundly B cell–deficient mice expressing a human λ transgene

1181 ***Ralf Schreck, Beate Meier, Daniela N. Männel, Wulf Dröge, and Patrick A. Baeuerle.*** Dithiocarbamates as potent inhibitors of nuclear factor κB activation in intact cells

1195 ***Alessandra Franco, Marino Paroli, Ugo Testa, Rosalba Benvenuto, Cesare Peschle, Francesco Balsano, and Vincenzo Barnaba.*** Transferrin receptor mediates uptake and presentation of hepatitis B envelope antigen by T lymphocytes

1207 ***Yeheyis Negussie, Daniel G. Remick, Laura E. DeForge, Steven L. Kunkel, Andrew Eynon, and George Griffin.*** Detection of plasma tumor necrosis factor, interleukins 6, and 8 during the Jarisch-Herxheimer Reaction of relapsing fever

1213 ***Hiroshi Ishida, Robin Hastings, John Kearney, and Maureen Howard.*** Continuous anti–interleukin 10 antibody administration depletes mice of Ly-1 B cells but not conventional B cells

1221 ***Linda A. Sherman, Timothy A. Burke, and Judith A. Biggs.*** Extracellular processing of peptide antigens that bind class I major histocompatibility molecules

1227 ***Akio Yamakage, Kanako Kikuchi, Edwin A. Smith, E. Carwile LeRoy, and Maria Trojanowska.*** Selective upregulation of platelet-derived growth factor α receptors by transforming growth factor β in scleroderma fibroblasts

1235 ***Jeffrey P. Northrop, Gerald R. Crabtree, and Petri S. Mattila.*** Negative regulation of interleukin 2 transcription by the glucocorticoid receptor

1247 ***Toby C. Rodman, Fred H. Pruslin, Stephen E. To, and Ronald Winston.*** Human immunodeficiency virus (HIV) Tat-reactive antibodies present in normal HIV-negative sera and depleted in HIV-positive sera. Identification of the epitope

1255 ***Mirjam H. A. Hermans, Auk Wubbena, Frans G. M. Kroese, Simon V. Hunt, Richard Cowan, and Davina Opstelten.*** The extent of clonal structure in different lymphoid organs

1271 ***Stephan C. Bischoff, Martin Krieger, Thomas Brunner, and Clemens A. Dahinden.*** Monocyte chemotactic protein 1 is a potent activator of human basophils

1277 ***Daniel E. Speiser, Hanspeter Pircher, Pamela S. Ohashi, Diego Kyburz, Hans Hengartner, and Rolf M. Zinkernagel.*** Clonal deletion induced by either radioresistant thymic host cells or lymphohemopoietic donor cells at different stages of class I–restricted T cell ontogeny

1285 ***Thomas Bieber, Henri de la Salle, Andreas Wollenberg, John Hakimi, Richard Chizzonite, Johannes Ring, Daniel Hanau, and Corinne de la Salle.*** Human epidermal Langerhans cells express the high affinity receptor for immunoglobulin E (FcϵRI)

1291 ***Brian A. Dougherty and I. van de Rijn.*** Molecular characterization of a locus required for hyaluronic acid capsule production in group A streptococci

1301 ***Ned S. Braunstein, Dominique A. Weber, Xiao-Cun Wang, Eric O. Long, and David Karp.*** Sequences in both class II major histocompatibility complex α and β chains contribute to the binding of the superantigen toxic shock syndrome toxin 1

1307 ***Nicki J. Vasquez, Jonathan Kaye, and Stephen M. Hedrick.*** In vivo and in vitro clonal deletion of double-positive thymocytes

1317 ***Daniel L. Clemens and Marcus A. Horwitz.*** Membrane sorting during phagocytosis: selective exclusion of major histocompatibility complex molecules but not complement receptor CR3 during conventional and coiling phagocytosis

1327 ***Cindy Go and Jim Miller.*** Differential induction of transcription factors that regulate the interleukin 2 gene during anergy induction and restimulation

1337 ***Anthony Simmons and David C. Tscharke.*** Anti-CD8 impairs clearance of herpes simplex virus from the nervous system: implications for the fate of virally infected neurons

1345 ***Jean-Charles Guéry, Alessandro Sette, Jonathan Leighton, Alin Dragomir, and Luciano Adorini.*** Selective immunosuppression by administration of major histocompatibility complex (MHC) class II–binding peptides. I. Evidence for in vivo MHC blockade preventing T cell activation

1353 ***Binghe Wang, Armin Rieger, Oliver Kilgus, Kenichi Ochiai, Dieter Maurer, Dagmar Födinger, Jean-Pierre Kinet, and Georg Stingl.*** Epidermal Langerhans cells from normal human skin bind monomeric IgE via FcϵRI

1367 ***Clifford M. Snapper, Tina M. McIntyre, Raya Mandler, Ligia M. T. Pecanha, F. D. Finkelman, Andrew Lees, and James J. Mond.*** Induction of IgG3 secretion by interferon γ: a model for T cell–independent class switching in response to T cell–independent type 2 antigens

1373 ***H. Jiang, F. A. Robey, and H. Gewurz.*** Localization of sites through which C-reactive protein binds and activates complement to residues 14–26 and 76–92 of the human C1q A chain

1381 ***Urs Wirthmueller, Tomohiro Kurosaki, Monica S. Murakami, and Jeffrey V. Ravetch.*** Signal transduction by FcγRIII (CD16) is mediated through the γ chain

1391 ***Chung-Yih Wang, Bronislawa Petryniak, I-Cheng Ho, Craig B. Thompson, and Jeffrey M. Leiden.*** Evolutionarily conserved Ets family members display distinct DNA binding specificities

Brief Definitive Reports

1401 ***William A. Muller, Miriam E. Berman, Peter J. Newman, Horace M. DeLisser, and Steven M. Albelda.*** A heterophilic adhesion mechanism for platelet/endothelial cell adhesion molecule 1 (CD31)

1405 ***Melanie S. Vacchio, Osami Kanagawa, Kyuhei Tomonari, and Richard J. Hodes.*** Influence of T cell receptor Vα expression on Mls^a superantigen-specific T cell responses

1409 ***Howard S. Fox.*** Androgen treatment prevents diabetes in nonobese diabetic mice

1413 ***Richard J. Johnson, Elaine W. Raines, Jürgen Floege, Ashio Yoshimura, Pam Pritzl, Charles Alpers, and Russell Ross.*** Inhibition of mesangial cell proliferation and matrix expansion in glomerulonephritis in the rat by antibody to platelet-derived growth factor

Volume 175 No. 6 June 1, 1992

1417 ***Steven Kozlowski, Maripat Corr, Toshiyuki Takeshita, Lisa F. Boyd, C. David Pendleton, Ronald N. Germain, Jay A. Berzofsky, and David H. Margulies.*** Serum angiotensin-1 converting enzyme activity processes a human immunodeficiency virus 1 gp160 peptide for presentation by major histocompatibility complex class I molecules

1423 ***Nicholas P. Restifo, Paul J. Spiess, Stephen E. Karp, James J. Mulé, and Steven A. Rosenberg.*** A nonimmunogenic sarcoma transduced with the cDNA for interferon γ elicits $CD8^+$ T cells against the wild-type tumor: correlation with antigen presentation capability

1433 ***Robert H. Vonderheide and Timothy A. Springer.*** Lymphocyte adhesion through very late antigen 4: evidence for a novel binding site in the alternatively spliced domain of vascular cell adhesion molecule 1 and an additional α4 integrin counter-receptor on stimulated endothelium

1443 ***C. L. Li and G. R. Johnson.*** Rhodamine123 reveals heterogeneity within murine Lin^-, $Sca\text{-}1^+$ hemopoietic stem cells

1449 ***Anne-Claire Viale, Antonio Coutinho, and Antonio A. Freitas.*** Differential expression of V_H gene families in peripheral B cell repertoires of newborn or adult immunoglobulin H chain congenic mice

1457 ***M. Brenan and M. Puklavec.*** The MRC OX-62 antigen: a useful marker in the purification of rat veiled cells with the biochemical properties of an integrin

1467 ***H. G. Archie Bouwer, Cole S. Nelson, Bruce L. Gibbins, Daniel A. Portnoy, and David J. Hinrichs.*** Listeriolysin O is a target of the immune response of *Listeria monocytogenes*

1473 ***Cristina Hernández-Munaín, Juana L. De Diego, Antonia Alcina, and Manuel Fresno.*** A *Trypanosoma cruzi* membrane protein shares an epitope with a lymphocyte activation antigen and induces crossreactive antibodies

1483 ***Dominique Davidson, Lionel M. L. Chow, Marielle Fournel, and André Veillette.*** Differential regulation of T cell antigen responsiveness by isoforms of the *src*-related tyrosine protein kinase $p59^{fyn}$

1493 ***Colin R. A. Hewitt, Jonathan R. Lamb, John Hayball, Mark Hill, Michael J. Owen, and Robyn E. O'Hehir.*** Major histocompatibility complex independent clonal T cell anergy by direct interaction of *Staphylococcus aureus* enterotoxin B with the T cell antigen receptor

1501 ***Peter M. Lansdorp and Wieslawa Dragowska.*** Long-term erythropoiesis from constant numbers of $CD34^+$ cells in serum-free cultures initiated with highly purified progenitor cells from human bone marrow

1511 ***Carel J. M. van Noesel, Gaby S. Brouns, Gijs M. W. van Schijndel, Richard J. Bende, David Y. Mason, Jannie Borst, and René A. W. van Lier.*** Comparison of human B cell antigen receptor complexes: membrane-expressed forms of immunoglobulin (Ig)M, IgD, and IgG are associated with structurally related heterodimers

1521 ***Josef Fangmann, Rosemarie Dalchau, and John W. Fabre.*** Rejection of skin allografts by indirect allorecognition of donor class I major histocompatibility complex peptides

1531 ***John T. Harty and Michael J. Bevan.*** $CD8^+$ T cells specific for a single nonamer epitope of *Listeria monocytogenes* are protective in vivo

1539 ***Takuji Iwasato, Hiroshi Arakawa, Akira Shimizu, Tasuku Honjo, and Hideo Yamagishi.*** Biased distribution of recombination sites within S regions upon immunoglobulin class switch recombination induced by transforming growth factor β and lipopolysaccharide

1547 ***Teresa J. Oglesby, Christopher J. Allen, M. Kathryn Liszewski, David J. G. White, and John P. Atkinson.*** Membrane cofactor protein (CD46) protects cells from complement-mediated attack by an intrinsic mechanism

1553 ***Eric A. Nalefski, Shailaja Kasibhatla, and Anjana Rao.*** Functional analysis of the antigen binding site on the T cell receptor α chain

1565 ***Mark A. Jutila, Gayle Watts, Bruce Walcheck, and Geoffrey S. Kansas.*** Characterization of a functionally important and evolutionarily well-conserved epitope mapped to the short consensus repeats of E-selectin and L-selectin

1575 ***Richard T. Wyatt, Richard A. Rudders, Andrew Zelenetz, Ronald A. Delellis, and Theodore G. Krontiris.*** BCL2 oncogene translocation is mediated by a χ-like consensus

1589 ***Girija Muralidhar, Susanne Koch, Martin Haas, and Susan L. Swain.*** CD4 T cells in murine acquired immunodeficiency syndrome: polyclonal progression to anergy

1601 ***Toshiaki Muzuochi, Michiyuki Kasai, Takehiro Kokuho, Terutaka Kakiuchi, and Katsuiku Hirokawa.*** Medullary but not cortical thymic epithelial cells present soluble antigens to helper T cells

1607 ***Musa G. Touray, Alon Warburg, Andre Laughinghouse, Antoniana U. Krettli, and Louis H. Miller.*** Developmentally regulated infectivity of malaria sporozoites for mosquito salivary glands and the vertebrate host

1613 ***Christine K. Rudy, Eliyahu Kraus, Ed Palmer, and Brigitte T. Huber.*** Mls-1-like superantigen in the MA/MyJ mouse is encoded by a new mammary tumor provirus that is distinct from *Mtv*-7

1623 ***Werner Held, Alexander N. Shakhov, Gary Waanders, Leo Scarpellino, Roland Luethy, Jean-Pierre Kraehenbuhl, H. Robson MacDonald, and Hans Acha-Orbea.*** An exogenous mouse mammary tumor virus with properties of $Mls\text{-}1^a$ (*Mtv*-7)

1635 ***Sergio Schenkman, Tomohiro Kurosaki, Jeffrey V. Ravetch, and V. Nussenzweig.*** Evidence for the participation of the Ssp-3 antigen in the invasion of nonphagocytic mammalian cells by *Trypanosoma cruzi*

1643 ***Marlena A. Moors, Terrence L. Stull, Kenneth J. Blank, Helen R. Buckley, and David M. Mosser.*** A role for complement receptor–like molecules in iron acquisition by *Candida albicans*

1653 ***Eric Degen, Myrna F. Cohen-Doyle, and David B. Williams.*** Efficient dissociation of the p88 chaperone from major histocompatibility complex class I molecules requires both β_2-microglobulin and peptide

1663 ***Zhuoru Liu, Yu-Kai Sun, Yu-Ping Xi, Paul Harris, and Nicole Suciu-Foca.*** T cell recognition of self-human histocompatibility leukocyte antigens (HLA)-DR peptides in context of syngeneic HLA-DR molecules

1669 ***Thais E. Costa, Roland R. Franke, Mercedes Sanchez, Ziva Misulovin, and Michel C. Nussenzweig.*** Functional reconstitution of an immunoglobulin antigen receptor in T cells

1677 ***Chih-Hao Chou, Jingsong Wang, Mark W. Knuth, and Westley H. Reeves.*** Role of a major autoepitope in forming the DNA binding site of the p70 (Ku) antigen

1685 ***Joseph O. Hill.*** $CD4^+$ T cells cause multinucleated giant cells to form around *Cryptococcus neoformans* and confine the yeast within the primary site of infection in the respiratory tract

1697 ***J.-D. Lee, K. Kato, P. S. Tobias, T. N. Kirkland, and R. J. Ulevitch.*** Transfection of CD14 into 70Z/3 cells dramatically enhances the sensitivity to complexes of lipopolysaccharide (LPS) and LPS binding protein

1707 ***Elena Barzaga-Gilbert, David Grass, Simon K. Lawrance, Per A. Peterson, Elizabeth Lacy, and Victor H. Engelhard.*** Species specificity and augmentation of responses to class II major histocompatibility complex molecules in human CD4 transgenic mice

1717 ***Gilla Kaplan, Gerald Walsh, Laarni S. Guido, Peter Meyn, Rochel A. Burkhardt, Rodolfo M. Abalos, Jeanne Barker, Paula A. Frindt, Tranquilino T. Fajardo, Roland Celona, and Zanvil A. Cohn.*** Novel responses of human skin to intradermal recombinant granulocyte/macrophage-colony-stimulating factor: Langerhans cell recruitment, keratinocyte growth, and enhanced wound healing

1729 ***Elizabeth P. Sampaio, Andre L. Moreira, Euzenir N. Sarno, Ana M. Malta, and Gilla Kaplan.*** Prolonged treatment with recombinant interferon γ induces erythema nodosum leprosum in lepromatous leprosy patients

1739 ***Ernesto Roldán, Angeles García-Pardo, and José Brieva.*** VLA-4–fibronectin interaction is required for the terminal differentiation of human bone marrow cells capable of spontaneous and high rate immunoglobulin secretion

1749 ***Stephen C. Jameson, Whitney D. Tope, Evelyn M. Tredgett, J. Mark Windle, Austin G. Diamond, and Jonathan C. Howard.*** Cloning and expression of class I major histocompatibility complex genes of the rat

1759 ***Sten E. W. Jacobsen, Francis W. Ruscetti, Claire M. Dubois, and Jonathan R. Keller.*** Tumor necrosis factor α directly and indirectly regulates hematopoietic progenitor cell proliferation: role of colony-stimulating factor receptor modulation

1773 ***Jon C. Aster and Jeffrey Sklar.*** Interallelic V(D)J *trans*-rearrangement within the β T cell receptor gene is infrequent and occurs preferentially during attempted Dβ and Jβ joining

Brief Definitive Reports

1783 ***Zeng Bian Zhu, Shie-Liang Hsieh, David R. Bentley, R. Duncan Campbell, and John E. Volanakis.*** A variable number of tandem repeats locus within the human complement C2 gene is associated with a retroposon derived from a human endogenous retrovirus

1789 ***Olivier Spertini, Francis W. Luscinskas, Michael A. Gimbrone, Jr., and Thomas F. Tedder.*** Monocyte attachment to activated human vascular endothelium in vitro is mediated by leukocyte adhesion molecule-1 (L-selectin) under nonstatic conditions

1793 ***H. Ulrich Beuscher, Ulf-Peter Rausch, Ivan G. Otterness, and Martin Röllinghoff.*** Transition from interleukin 1β (IL-1β) to IL-1α production during maturation of inflammatory macrophages in vivo

1799 ***Harald Kropshofer, Heiner Max, Claudia A. Müller, Friedemann Hesse, Stefan Stevanovic, Günther Jung, and Hubert Kalbacher.*** Self-peptide released from class II HLA-DR1 exhibits a hydrophobic two-residue contact motif

1805 ***Claire J. P. Boog, Elisabeth R. de Graeff-Meeder, Marjoleine A. Lucassen, Ruurd van der Zee, Marleen M. Voorhorst-Ogink, Peter J. S. van Kooten, Hans J. Geuze, and Willem van Eden.*** Two monoclonal antibodies generated against human hsp60 show reactivity with synovial membranes of patients with juvenile chronic arthritis

1811 ***Author Index to Volume 175***

1825 ***Subject Index to Volume 175***